



Antithrombotic Therapy after Percutaneous Coronary Intervention of Bifurcation Lesions

Zimarino, Marco ; Angiolillo, Dominick J ; Dangas, George ; Capodanno, Davide ; Barbato, Emanuele ;
Hahn, Joo-Yong ; Giustino, Gennaro ; Watanabe, Hirotsuchi ; Costa, Francesco ; Cuisset, Thomas ;
Rossini, Roberta ; Sibbing, Dirk ; Burzotta, Francesco ; Louvard, Yves ; Shehab, Abdulla ; Renda,
Giulia ; Kimura, Takeshi ; Gwon, Hyeon-Cheol ; Chen, Shaoliang ; Costa, Ricardo A ; Koo, Bon-Kwon ;
Storey, Robert F ; Valgimigli, Marco ; Mehran, Roxana ; Stankovic, Goran

Abstract: Coronary bifurcations exhibit localized turbulent flow and enhanced propensity for platelet deposition, plaque rupture, and atherothrombosis. Percutaneous coronary intervention (PCI) of bifurcation lesions is associated with an increased risk of thrombotic events. Such risk is modulated by anatomical complexity, intraprocedural factors and pharmacological therapy. There is no consensus on the appropriate PCI strategy or the optimal regimen and duration of antithrombotic treatment in order to decrease the risk of ischemic and bleeding complications in the setting of coronary bifurcation. A uniform therapeutic approach meets a clinical need. The present initiative, promoted by the European Bifurcation Club (EBC), involves opinion leaders from Europe, America, and Asia with the aim to analyze the currently available evidence. Although mainly derived from sub-studies of large trials or small studies, or from authors' opinions, an algorithm for the optimal management of patients undergoing bifurcation PCI, developed on the basis of clinical presentation, bleeding risk, and intraprocedural strategy is here proposed.

DOI: <https://doi.org/10.4244/EIJ-D-20-00885>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-191512>

Journal Article

Published Version

Originally published at:

Zimarino, Marco; Angiolillo, Dominick J; Dangas, George; Capodanno, Davide; Barbato, Emanuele; Hahn, Joo-Yong; Giustino, Gennaro; Watanabe, Hirotsuchi; Costa, Francesco; Cuisset, Thomas; Rossini, Roberta; Sibbing, Dirk; Burzotta, Francesco; Louvard, Yves; Shehab, Abdulla; Renda, Giulia; Kimura, Takeshi; Gwon, Hyeon-Cheol; Chen, Shaoliang; Costa, Ricardo A; Koo, Bon-Kwon; Storey, Robert F; Valgimigli, Marco; Mehran, Roxana; Stankovic, Goran (2021). Antithrombotic Therapy after Percutaneous Coronary Intervention of Bifurcation Lesions. *EuroIntervention*, 17(1):59-66.

DOI: <https://doi.org/10.4244/EIJ-D-20-00885>



Antithrombotic Therapy after Percutaneous Coronary Intervention of Bifurcation Lesions

DOI: 10.4244/EIJ-D-20-00885



Marco Zimarino^{1,2}, MD, PhD; Dominick J Angiolillo³; George Dangas⁴; Davide Capodanno⁵; Emanuele Barbato⁶; Joo-Yong Hahn⁷; Gennaro Giustino⁴; Hirotsohi Watanabe⁸; Francesco Costa⁹; Thomas Cuisset¹⁰; Roberta Rossini¹¹; Dirk Sibbing¹²; Francesco Burzotta¹³; Yves Louvard¹⁴; Abdulla Shehab¹⁵; Giulia Renda¹; Takeshi Kimura⁸; Hyeon-Cheol Gwon⁷; Shao-Liang Chen¹⁶; Ricardo Costa¹⁷; Bon-Kwon Koo¹⁸; Robert F Storey¹⁹; Marco Valgimigli²⁰; Roxana Mehran⁴; Goran Stankovic²¹;

1. Institute of Cardiology, University "G. d'Annunzio" of Chieti-Pescara, Italy;

2. Cath Lab, SS Annunziata Hospital, ASL2 Abruzzo, Chieti, Italy, Italy

3. Division of Cardiology, University of Florida College of Medicine, Jacksonville, FL, USA

4. the Zena and Michael A. Wiener Cardiovascular Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA

5. Cardio-Thoracic-Vascular Department, Centro Alte Specialità e Trapianti, Catania, Italy. Azienda Ospedaliero Universitario "Vittorio Emanuele-Policlinico," University of Catania, Italy

6. Department of Advanced Biomedical Sciences, Federico II University of Naples, Italy

7. Heart Vascular Stroke Institute, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul, Republic of Korea

8. Kyoto University, Graduate School of Medicine, Department of Cardiovascular Medicine

9. Department of Clinical and Experimental Medicine, Policlinic "G Martino," University of Messina, Italy

10. Department of Cardiology, CHU Timone, Marseille, France

11. Cardiology, Ospedale Santa Croce e Carle, Cuneo, Italy

12. Privatklinik Lauterbacher Mühle am Ostersee, Iffeldorf, Germany and Department of Cardiology, Ludwig-Maximilians-University (LMU) München, Munich, Germany

13. Department of Cardiovascular Sciences, Fondazione Policlinico Universitario A. Gemelli IRCCS, Università Cattolica del Sacro Cuore, Rome, Italy

14. Ramsay Générale de Santé - Institut cardiovasculaire Paris Sud, Hopital Privé Jacques Cartier, Massy, France

15. Department of Internal Medicine, College of Medicine and Health Sciences, UAE University, Al Ain, Abu Dhabi, United Arab Emirates

16. Nanjing First Hospital, Nanjing Medical University, Nanjing, China

17. Istituto Dante Pazzanese of Cardiology, Sao Paulo, SP, Brazil

18. Department of Internal Medicine and Cardiovascular Center, Seoul National University Hospital, Seoul, Korea

19. Cardiovascular Research Unit, Department of Infection Immunity and Cardiovascular Disease, University of Sheffield, Sheffield, United Kingdom

20. Bern University Hospital, Bern, Switzerland.

21. Department of Cardiology, Clinical Center of Serbia, and Medical Faculty, University of Belgrade, Belgrade, Serbia

Disclaimer:

As a public service to our readership, this article - peer reviewed by the Editors of EuroIntervention and external reviewers - has been published immediately upon acceptance as it was received in the last round of revision. The content of this article is the responsibility of the authors.

Please note that supplementary movies are not available online at this stage. Once a paper is published in its



To read the full content of this article, please log in to download the PDF.



Coronary bifurcations exhibit localized turbulent flow and enhanced propensity for atherothrombosis, platelet deposition and plaque rupture. Percutaneous coronary intervention (PCI) of bifurcation lesions is associated with an increased risk of thrombotic events. Such risk is modulated by anatomical complexity, intraprocedural factors and pharmacological therapy. There is no consensus on the appropriate PCI strategy or the optimal regimen and duration of antithrombotic treatment in order to decrease the risk of ischemic and bleeding complications in the setting of coronary bifurcation. A uniform therapeutic approach meets a clinical need.

The present initiative, promoted by the European Bifurcation Club (EBC), involves opinion leaders from Europe, America, and Asia with the aim to analyze the currently available evidence. Although mainly derived from small dedicated studies, sub-studies of large trials or from authors' opinions, an algorithm for the optimal management of patients undergoing bifurcation PCI, developed on the

SIGN IN TO READ AND DOWNLOAD THE FULL ARTICLE

LOGIN

[Forgot your password?](#)

NO ACCOUNT YET? SIGN UP FOR FREE!

CREATE MY PCR ACCOUNT

Join us for free and access thousands of articles from EuroIntervention, as well as presentations, videos, cases from PCRONline.com

bifurcation adjunctive pharmacotherapy drug-eluting stent

Coronary interventions

Join our mailing list

Sign up today to receive the weekly JAA's newsletter

SIGN UP



Read next article



Culprit lesion location and outcomes in patients with multi-vessel disease and infarct-related cardiogenic shock. A core laboratory analysis of the CULPRIT-SHOCK trial

TOOLBOX

Print article

Citations

Ask for a reprint

Request permissions

METRICS

Dimensions Badge



0 Total citations

0 Recent citations

n/a Field Citation Ratio

n/a Relative Citation Ratio

Altmetric



Twitter (35)

Facebook (1)

Mendeley (4)

RELATED ARTICLES

A randomized comparison of Coronary Stents according to Short or Prolonged durations of Dual Antiplatelet Therapy in patients with Acute Coronary Syndromes: a pre-specified analysis of the SMART-DATE trial

Jang WJ et al

November 10, 2020 | 10.4244/EIJ-D-20-00556

Predictors of Non-Stenting Strategy for Acute Coronary Syndrome Caused by Plaque Erosion: 4-Year Outcomes of the EROSION Study

He L et al

November 10, 2020 | 10.4244/EIJ-D-20-00299

Dual antithrombotic therapy with dabigatran in patients with atrial fibrillation after percutaneous coronary intervention for ST elevation myocardial infarction: results from the randomised RE-DUAL PCI trial

Zewmer JJ et al




MORE FROM PCRONLINE

Interventional functional procedures in INOCA

What causes INOCA?

The EURO SHOCK Trial: Design, aims and objectives



POPULAR THIS MONTH

An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group.

Vijay Kunadian et al

Impact of the COVID-19 pandemic on interventional cardiology practice: results of the EAPCI survey

Marco Roffi et al

Double-kissing culotte technique for coronary bifurcation stenting

Gabor G. Toth et al

2018 ESC/EACTS Guidelines on myocardial revascularization

Franz-Josef Neumann et al

Percutaneous recanalisation of chronic total occlusions: 2019 consensus document from the EuroCTO Club

Alfredo R. Galassi et al

LATEST NEWS

NEW ISSUE

Radiation protection, ticagrelor monotherapy, the COMPARE-ABSORB trial, the BASILICA technique...

Intraluminal scaffold dismantling

OCTOBER 23, 2020





NEW

Invasive assessment of a myocardial bridge

NOVEMBER 4, 2020

EDITORIAL

BVS déjà vu: the storm before the calm

Dean J. Kereiakes

NOVEMBER 4, 2020

TRIALS BOOK

Find the latest trials: Spyral, Dessolve III, Choice, Solve TAVI, and more

(Thanks to the support of Biotronik)

OCTOBER 23, 2020

GUIDANCE PAPERS

Guidelines, consensus & position papers

AUGUST 28, 2020

EDITORIAL

ASA-free strategy in ACS

Usman Baber

NOVEMBER 4, 2020





JAA

This Week's JAA's: Covid-19 in STEMI, 4 year outcomes of the EROSION study, Pulmonary ridge coverage after LAA occlusion...

NOVEMBER 10, 2020

CORONARY

A randomized comparison of Coronary Stents according to Short or Prolonged durations of Dual Antiplatelet Therapy in patients with Acute Coronary Syndromes: a pre-specified analysis of the SMART-DATE trial

Jang WJ et al

Predictors of Non-Stenting Strategy for Acute Coronary Syndrome Caused by Plaque Erosion: 4-Year Outcomes of the EROSION Study

He L et al

Dual antithrombotic therapy with dabigatran in patients with atrial fibrillation after percutaneous coronary intervention for ST elevation myocardial infarction: results from the randomised RE-DUAL PCI trial

Zeymer U et al

VALVULAR DISEASE

Fatal Acute Mesenteric Ischemia Following Transcatheter Aortic Valve Replacement

del Val D et al

Clinical Impact of Intervention Strategies after failed Transcatheter Mitral Valve Repair

Alessandrini H et al

Percutaneous mitral valve leaflet repair: ongoing directions and future perspectives

Maisano F, Taramasso M

HEART FAILURE

The EURO SHOCK Trial: Design, Aims and Objectives Randomised comparison of Extra Corporeal Membrane Oxygenation (ECMO) delivered after acute-PCI plus standard of care versus standard of care alone after acute PCI, in patients presenting with Acute Coronary syndrome and Cardiogenic Shock.

Banning A et al

Percutaneous mitral valve leaflet repair: ongoing directions and future perspectives

Maisano F, Taramasso M

Deep Sedation versus General Anaesthesia for Transcatheter Mitral Valve Repair: An Individual-Patient Data Meta-analysis of Observational Studies.

Jobs A et al



PERIPHERAL



Multistage Strategy With Perfusion SPECT and CT Pulmonary Angiogram in Balloon Pulmonary Angioplasty for Totally Occluded Lesions in CTEPH

Hosokawa K et al

EAPCI Core Curriculum for Percutaneous Cardiovascular Interventions (2020): Committee for Education and Training European Association of Percutaneous Cardiovascular Interventions (EAPCI) A branch of the European Society of Cardiology

Van Belle E et al

Fistula between the right pulmonary artery and left atrium in a newborn: management and successful interventional treatment.

Michalak K et al

HYPERTENSION



EAPCI Core Curriculum for Percutaneous Cardiovascular Interventions (2020): Committee for Education and Training European Association of Percutaneous Cardiovascular Interventions (EAPCI) A branch of the European Society of Cardiology

Van Belle E et al

Early Results of the Revivent TC Procedure for Treatment of Left Ventricular Aneurysm and Heart Failure due to Ischemic Cardiomyopathy

Wang Y et al

Pulmonary artery denervation using catheter-based ultrasonic energy

Rothman A et al

STROKE



Impact of Pulmonary Ridge Coverage after Left Atrial Appendage Occlusion

Freixa X et al

Heterogeneity of debris captured by cerebral embolic protection filters during TAVI

Kroon H et al

First-in-human results of the OMEGA™ Left Atrial Appendage Occluder for Patients with Non-Valvular Atrial Fibrillation

Wilkins B et al

EuroIntervention

The Official Journal of EuroPCR and the European Association of Percutaneous Coronary Interventions (EAPCI)



About the journal



Editorial team

Disclaimer

Privacy policy

Readers

Current issue

Archives

Subscribe

Authors

Submit your paper

Instructions

Services

Advertise

Reprints / ePrints

Rights and permissions

Textbooks

The PCR-EAPCI textbook

The history of angioplasty

Percutaneous cardiac interventions

Coronary stenosis

Follow us

Facebook

Twitter



Impact factor: 3.993
2019 Journal Citation Reports ®
Science Edition (Clarivate Analytics, 2020)
Online ISSN 1969-6213 - Print ISSN 1774-024X
© 2005-2020 Europa Group - All rights reserved

